L Number	Hits	Search Text	DB	Time stamp
-	1529	(715/513).CCLS.	USPAT;	2004/06/15 17:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l_	766	(715/501.1).CCLS.	IBM_TDB USPAT;	2004/06/15 17:41
-	/ 00	(/13/301.1).CCL3.	US-PGPUB;	2004/06/13 17:41
			EPO; JPO;	
	į		DERWENT;	
	·		IBM TDB	
_	723	(715/500).CCLS.	USPAT;	2004/06/15 17:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	410	/315 /513 \ 0010	IBM_TDB	0004/06/15 17 55
_	419	(715/517).CCLS.	USPAT;	2004/06/15 17:55
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	182	translat\$5 with xml with html	USPAT;	2004/06/16 10:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	·
			IBM_TDB	
-	82	(======	USPAT;	2004/06/15 18:08
		and relationship	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	6372	((generat\$5 creat\$5) with (xml markup))	USPAT;	2004/06/16 11:00
	03.2	((generates eleates) with (Ami markap))	US-PGPUB;	2004/00/10 11:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	69357	(object and relationship and publish\$5)	USPAT;	2004/06/16 10:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	1126	(((generat\$5 creat\$5) with (xml markup)))	IBM_TDB USPAT;	2004/06/16 10:37
	1120	and ((object and relationship and	US-PGPUB;	2004/00/10 10:3/
		publish\$5))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	49	((((generat\$5 creat\$5) with (xml markup)))	USPĀT;	2004/06/16 10:46
		and ((object and relationship and	US-PGPUB;	
		publish\$5))) and (translat\$5 with xml with	EPO; JPO;	
		html)	DERWENT;	
_	639	relationship with object with content	IBM_TDB USPAT;	2004/06/16 10:38
		1010010111p with object with content	US-PGPUB;	2004/00/10 10:38
			EPO; JPO;	
			DERWENT;	
i			IBM_TDB	
-	55	relationship with object with content with	USPĀT;	2004/06/16 10:40
		element	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	47033	(object and relationship and publish\$5	IBM_TDB USPAT;	2004/06/16 10 15
	4/033	and element)	USPAT; US-PGPUB;	2004/06/16 10:45
		and official,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1046	(((generat\$5 creat\$5) with (xml markup)))	USPĀT;	2004/06/16 10:45
		and ((object and relationship and	US-PGPUB;	,
		publish\$5 and element))	EPO; JPO;	
<u> </u>			DERWENT;	
			IBM_TDB	

		182	translat\$5 with xml with html	USPAT;	2004/06/16 10:46
-		102	Clausiacys with Ami with himi		2004/06/16 10:46
112					
112 (((generat55 creat55) with (xml markup)) OSFAT; OGFGUB; EPO; JPO; DERMENT; IMM TOB OSFAT; OGFGUB; EPO; JPO; DERMENT; IMM TOB OSFAT; OSFGUB; EPO; JPO; OSFG				DERWENT;	
and (translats% with xml with html)					
1329 ((generat\$5 creat\$5) with (xml markup) USPAT; US-GCPUB; EPO, JPO; DERMENT; IBM TOB USPAT; USPACEUB; EPO; JPO; DERMENT; IBM TOB USPACEUB; EPO; JPO; D	-	112			2004/06/16 10:47
-			and (translat\$5 with xml with html)		
IMM TOB USPAT; US-PGPUB; ENO, UPO, DERWENT; ISM TOB USPAT; US-PGPUB; ENO, UPO, UPO, UPO, UPO, UPO, UPO, UPO, UP				1	
1329 ((generat55 creat\$5) with (xml markup) USPĀT; Same database) USPĀT; SPĀT; SPĀT; SPĀT; SAME database) USPĀT; SPĀT; SPĀ					
Same database US-FGFUE; EPO; JPO; DERWENT; IBM TOB USFAT; US-FGFUE; EPO; JPO; DERWENT; US-FGFUE; EPO; JPO; DERWENT; US-FGFUE; EPO; JPO; DERWENT; US-FGFUE; EPO; JPO; DERWENT; USFAT; US-FGFUE; EPO; JPO; DERW	_	1329	((generat\$5 creat\$5) with (xml markup)		2004/06/16 11:00
- 4040 ((generat\$5 creat\$5) with (xml markup)			same database)		
1940					
4040					
Content with database US-PCPUB; EPG; JPG; DERMENT; IBM TDB USPAT; US-PCPUB; EPG; JPG; DERMENT; EBM TDB U		4040	//		0004/06/16 11 01
Till ((generat\$5 creat\$5) with (xml markup) Coperat	-	4040			2004/06/16 11:01
- 711 ((generat\$5 creat\$5) with (xml markup) USPĀT; US-PGPUB; EPG; JPG; DERWENT; IBM TDB USPĀT; US-PGPUB; EPG; JPG; JPG; DERWENT; US-PGPUB; EPG; JPG; JPG; DERWENT; US-PGPUB; EPG; JPG; JPG; DERWENT; US-PGPUB; EPG; JPG; DERWENT; US-PGPUB; EPG;			Content, with database,		
Time					
With database US-PGUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGUB; EPO; JPO; DERWENT; US-PG				-	
- 3247 ((generat\$5 creat\$5) with (xml markup)) and (stor\$5 with database) - 554 ((generat\$5 creat\$5) with (xml markup)) and (stor\$5 with xml with database) - 112 (author with (generat\$5 creat\$5) with (xml markup)) and (stor\$5 with xml with database) - 112 (author with (generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 153 (relationship with object with element) and xml - 154 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) and xml - 155 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 16 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) and (relationship with object) - 16 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) and (relationship with object with element) - 150 ((creat\$5 creat\$5) with xml) and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site)	-	711	((generat\$5 creat\$5) with (xml markup)		2004/06/16 11:20
- 3247 ((generat\$5 creat\$5) with (xml markup))			with database)		
3247 ((generat\$5 creat\$5) with (xml markup) USPAT; and (stor\$5 with database) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;					
- 3247 ((generat\$5 creat\$5) with (xml markup)) uSPĀT; uSPĀCPUB; EPO; JPO; DERWENT; IBM TDB uSPĀT; uS-FGPUB; EP					
and (stor\$5 with database) and (stor\$5 with database) US-PGPUB, EPO; JPO; DERWENT; IBM TDB ((generat\$5 creat\$5) with (xml markup)) and (stor\$5 with xml with database) (author with (generat\$5 creat\$5) with (xml markup)) (author with (generat\$5 creat\$5) with (xml my TDB USPAT; US-PGPUB, EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB, EPO; JPO; DERWENT; US-PGPUB, EPO; JPO; DERWENT; US-PGPUB, EPO; JPO; DERWENT; US-PGP	_	3247	((generat\$5 creat\$5) with (yml markum))		2004/06/16 11.21
S54 ((generat\$5 creat\$5) with (xml markup) DERWENT; IBM TDB USPAT; 2004/06/16 12:13 USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; US-FGPUB; EPO; JPO; DERWENT; US-FGPUB; US-FGPUB; USPAT; US-FGPUB;		3247		1	2004/06/16 11:21
DERWENT; IN TOB DERWENT; I			and (beory's with discussion)		
- 112 (author with (generat\$5 creat\$5) with (xml markup) (author with (generat\$5 creat\$5) with (xml markup) (author with (generat\$5 creat\$5) with (xml markup)) (author with (generat\$5 creat\$5) with (xml markup)) (author with object with element (author)) (author with object with element (author)) (author) (a				1 '	
and (stor\$5 with xml with database) - 112 (author with (generat\$5 creat\$5) with (xml markup)) - 3133 relationship with object with element - 153 (relationship with object with element) - 154 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 16 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 16 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 16 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 170 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 17 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 17 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 19 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 10 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 17 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 19 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 18 ((generat\$5 creat\$5) with (xml markup)				IBM TDB	
- 112 (author with (generat\$5 creat\$5) with (xml markup)) - 3133 relationship with object with element - 153 (relationship with object with element) and xml - 154 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 16 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 16 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 170 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 18 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with (xml markup))	-	554			2004/06/16 12:13
- 112 (author with (generat\$5 creat\$5) with (xml markup)) - 3133 relationship with object with element - 153 (relationship with object with element) and xml - 154 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 155 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 16 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 16 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 170 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 180 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 190 ((company with web with site) - 190 ((creat\$5 generat\$5) with xml) and (company with web with site) - 190 ((creat\$5 generat\$5) with xml) and (company with web with site) - 190 (creat\$5 generat\$5) with xml) and (company with web with site) - 190 (creat\$5 generat\$5) with xml) and (company with web with site) - 190 (creat\$5 generat\$5) with xml) and (company with web with site) - 190 (creat\$5 generat\$5) with xml) and (company with web with site)	ļ		and (stor\$5 with xml with database)		
Time					
- 112 (author with (generat\$5 creat\$5) with (xml markup)) - 3133 relationship with object with element - 153 (relationship with object with element) - 153 (relationship with object with element) - 154 ((generat\$5 creat\$5) with (xml markup)) - 155 ((generat\$5 creat\$5) with (xml markup)) - 16 ((generat\$5 creat\$5) with (xml markup)) - 172 ((generat\$5 creat\$5) with (xml markup)) - 18 ((generat\$5 creat\$5) with (xml markup)) - 18 ((generat\$5 creat\$5) with (xml markup)) - 18 ((generat\$5 creat\$5) with (xml markup)) - 19 ((generat\$5 creat\$5) with (xml markup)) - 10 ((generat\$5 creat\$5) with (xml markup)) - 11 ((generat\$5 creat\$5) with (xml markup)) - 12 ((generat\$5 creat\$5) with (xml markup)) - 13 ((company with web with site) - 150 ((creat\$5 generat\$5) with xml) and - 150 (creat\$5 generat\$5) with xml) and - 150 (crea				· ·	
Markup) US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DER	_	112	(author with (generat\$5 creat\$5) with (xml		2004/06/16 12:34
- 3133 relationship with object with element USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					2004/00/10 12.54
Telationship with object with element			• • •		
- 3133 relationship with object with element USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT US-PGPUB; EPO;				DERWENT;	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; and (relationship with object with element) - 712 ((generat\$5 creat\$5) with (xml markup)) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; and (relationship with object) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; and (relationship with object with element) - 116 ((generat\$5 creat\$5) with (xml markup)) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;		2122			
Total company with web with site EPO; JPO; DERWENT; IBM TDB	_	3133	relationship with object with element		2004/06/16 12:34
- 153 (relationship with object with element) and xml USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				(
TBM_TDB					
153					
- 712 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) - 116 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 12 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 130 xml and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site)	-	153	(relationship with object with element)		2004/06/16 13:13
To the first section of the fi				US-PGPUB;	
TBM_TDB USPAT; 2004/06/16 15:14 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DERWENT; J					
712 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object) 116 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) 116 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) 117 ((generat\$5 creat\$5) with (xml markup)) DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;					
and (relationship with object) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; element) 2004/06/16 15:14 2004/06/16 15:14 US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;	_	712	((generat\$5 creat\$5) with (vml markun))		2004/06/16 15:14
The second state of the state o		'12			2004/00/10 13:14
- 116 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 509 xml and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site)			, _F		
- 116 ((generat\$5 creat\$5) with (xml markup)) and (relationship with object with element) - 509 xml and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site) - 150 ((creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site) - 150 (creat\$5 generat\$5) with xml) and (company with web with site)	1				
and (relationship with object with element) Solvent and (company with web with site) with and (company with web with site) solvent and (company with web with site) with and (company with web with site) solvent and (company with web with site)			[, , , , , , , , , , , , , , , , , , ,	IBM_TDB	
element) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	116			2004/06/16 15:14
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				l '	
TBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;			erement()		
The state of the s	[· ·	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (company with web with site) US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	509	xml and (company with web with site)		2004/06/16 16:41
- 150 ((creat\$5 generat\$5) with xml) and (company with web with site) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	
- 150 ((creat\$5 generat\$5) with xml) and (company with web with site) IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	1				
- 150 ((creat\$5 generat\$5) with xml) and USPAT; 2004/06/16 16:42 (company with web with site) US-PGPUB; EPO; JPO; DERWENT;				•	
(company with web with site) US-PGPUB; EPO; JPO; DERWENT;	_	150	((creat\$5 gangrat\$5) with yml) and		2004/06/16 16 10
EPO; JPO; DERWENT;	į l	130			2004/06/16 16:42
DERWENT;			(company mich mod mich diece)		
		İ			
				IBM_TDB	

	2224		HCDAM.	2004/06/16 17:21
-	2334	system with platform with independent	USPAT;	2004/06/16 1/:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	402	(system with platform with independent)	USPAT;	2004/06/16 17:20
		and xml	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
_	228	(system with platform with independent)	USPĀT;	2004/06/16 17:21
1		and ((generat\$5 creat\$5) with xml)	US-PGPUB:	
		and ((gonous))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	302	system with platform with independent with	USPAT;	2004/06/16 17:21
	302	software	US-PGPUB;	2004/00/10 17:21
		Soltware	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	33	/	USPAT;	2004/06/16 17:26
-	33		1	2004/06/16 17:26
		with software) and ((generat\$5 creat\$5)	US-PGPUB;	
		with xml)	EPO; JPO;	
			DERWENT;	
		1.,	IBM_TDB	
_	83	company with manag\$5 with content with web	USPAT;	2004/06/16 17:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	(1 1	USPAT;	2004/06/16 17:27
		web) and xml	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
- Namber	1511	(715/513).CCLS.	USPAT;	2004/06/01 11:21
	1511	(110) 013/ .0025.	US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
_	722	(715/500).CCLS.	USPAT;	2004/06/01 11:22
1		(US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	416	(715/517).CCLS.	USPAT;	2004/06/01 11:22
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	0001/05/01 11 05
-	730	(715/530).CCLS.	USPAT;	2004/06/01 11:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
İ			IBM_TDB	0004/06/01 11 06
-	4748	modif\$5 with (dom hierarch\$5 tree)	USPAT;	2004/06/01 11:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
1		11.505	IBM_TDB	2004/06/01 13:34
-	87	modif\$5 with (dom)	USPAT;	2004/06/01 13:34
-			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
	2000	modif\$5 with (hierarch\$5)	USPAT;	2004/06/01 11:26
-	2088	modiles with (mierarches)	US-PGPUB;	2004/00/01 11.20
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
<u>-</u>	38	(modif\$5 with (dom)) and hierarch\$5	USPAT;	2004/06/01 12:35
		(US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	7	(generat\$5 with interme\$7 with dom)	USPĀT;	2004/06/01 12:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0001105155
-	2	(generat\$5 with dom) and (generat\$6 with	USPAT;	2004/06/01 13:13
		translat\$5 with rule)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	/	IBM_TDB	2004/06/01 12:10
-	8	(generat\$5 with dom) and (translat\$5 with	USPAT;	2004/06/01 13:16
		rule)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
1_	15	(generat\$5 with dom) and (translat\$5 with	USPAT;	2004/06/01 13:17
-	15	(generates with dom) and (translates with dom)	US-PGPUB;	2004/00/01 13:1/
		dom/	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	53	translat\$6 with dom	USPAT;	2004/06/01 15:27
	33	CTGHSTGCAO MICH GOM	US-PGPUB;	2001,00,01 13.2/
			EPO; JPO;	
			DERWENT;	
	1	,	IBM TDB	
	<u>L</u>		TRM LDB	L